

Evolv® Test Jumper with Pushlok™ Technology 1F Pushlok to SC UPC simplex, 3 m




Part Number:
D15801E31AJ003M

As an Industry leader in optical connectivity products, Corning designs and manufactures the 1F Pushlok™ to SC APC or SC UPC test jumpers with factory-terminated, environmentally sealed and hardened connectors to allow testing of Evolv® Terminals with Pushlok Technology.

Features and Benefits

Flexible connector offerings

Enables direct connection to a variety of optical power meters for in-field testing



Evolv® Test Jumper with Pushlok™ Technology 1F Pushlok to SC UPC simplex, 3 m



Specifications

General Specifications	
Assembly Insertion Loss	0.4 dB
Connector Assembly Type	Pushlok SC UPC
Packaging	Individual Pack

Standards	
RoHS	Free of hazardous substances according to RoHS 2011/65/EU

Design	
Fibre count	1

Specifications - Connector A	
Insertion loss, max.	0.4 dB
Connector type	Pushlok
Reflectance	≤ -65 dB

Specifications - Connector B	
Insertion loss, max.	0.4 dB
Connector type	SC UPC
Reflectance	≤ -65 dB

Ordering Information	
Product Number	D15801E31AJ003M
Units per delivery	1/1

Evolv® Test Jumper with Pushlok™ Technology 1F Pushlok to SC UPC simplex, 3 m

CORNING



Corning Optical Communications GmbH & Co. KG • Leipziger Strasse 121 • 10117 Berlin, Germany
+00 800 2675 4641 • FAX: +49 30 5303 2335 • www.corning.com/opcomm/emea

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/emea/trademarks. Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2024 Corning Optical Communications. All rights reserved.