FILO form

Safety data sheet According to UK REACH

# Cabinet Base Sealant - A component - Polyol

Printing: 15/02/2021 Date of compilation: 15/02/2021 Version: 1 SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1 Product identifier: Cabinet Base Sealant - A component - Polyol Other means of identification: Non-applicable 1.2 Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: Sealant Uses advised against: All uses not specified in this section or in section 7.3 Details of the supplier of the safety data sheet: 1.3 Filoform De Kraaldert 2 4191PH Geldermalsen - Nederland Phone .: +31 (0)345-588220 w.ipenburg@filoform.com www.filoform.com

**1.4 Emergency telephone number:** +31 (0)345588220 mon-fri 8:30 AM - 5:00 PM

# SECTION 2: HAZARDS IDENTIFICATION

2.1	Classification of the substance or mixture:
	GB CLP Regulation:
	The product is not classified as hazardous according to GB CLP Regulation.
2.2	Label elements:
	GB CLP Regulation:
	None

2.3 Other hazards:

Non-applicable

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

# 3.2 Mixture:

Chemical description: Polyol component 2K PU system

#### **Components:**

None of the substances contained in the mixture are above the values fixed in Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

# SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

Consult a doctor in case of discomfort showing the SDS for the product.

# By inhalation:

In case of symptoms, move the person affected into fresh air.

#### By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety data Sheet

# By eye contact:

Rinse with water until the product has been eliminated. In case of problems, consult a doctor showing the SDS for the product.

#### By ingestion/aspiration:



Cabinet Base Sealant - A component - Polyol

- A component - Poly

Printing: 15/02/2021 Date of compilation: 15/02/2021

Version: 1

# SECTION 4: FIRST AID MEASURES (continued)

In case of consumption in large quantities, it is recommended to seek medical assistance.

# 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

# 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

# SECTION 5: FIREFIGHTING MEASURES

# 5.1 Extinguishing media:

### Suitable extinguishing media:

Product is non-flammable, with a low risk of fire due to the flammabliity characteristics of the product in normal conditions of storage, handling and use. In the case of the existence of sustained combustion as a result of improper handling, storage or use any type of extinguishing agent can be used (ABC Powder, water,...)

# Unsuitable extinguishing media:

Non-applicable

### 5.2 Special hazards arising from the substance or mixture:

Due to its inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...).

# Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task.

## 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

# 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks



Printing: 15/02/2021

Safety data sheet According to UK REACH

# Cabinet Base Sealant - A component - Polyol

Date of compilation: 15/02/2021 Version: 1

# SECTION 7: HANDLING AND STORAGE (continued)

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is not necessary to take special measures to prevent environmental risks. For more information see subsection 6.2

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:10 °CMaximum Temp.:35 °CMaximum time:24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

There are no occupational exposure limits for the substances contained in the product

#### 8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Non-applicable

D.- Ocular and facial protection

Non-applicable

E.- Body protection

Non-applicable

F.- Additional emergency measures

It is not necessary to take additional emergency measures.

#### Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

SECT	SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES						
9.1	Information on basic physical and chemical properties:						
	Appearance:						
	Physical state at 20 °C:	Liquid					
	Appearance:	Not available					
	Colour:	Black					
	*Not relevant due to the nature of the product, not providing information property of its hazards.						
	- CONTINUED ON NEXT PAGE -						



### Cabinet Base Sealant - A component - Polyol

	- A component - Polyoi								
Printing:	15/02/2021	Date of compilation: 15/02/2021	Version: 1						
SECT	TION 9: PHYSIC	CAL AND CHEMICAL PROPERTIES	5 (continued)						
	Odour:		Not available						
	Odour threshold:	:	Non-applicable *						
	Volatility:								
	-	atmospheric pressure:	171 °C						
	Vapour pressure	at 20 °C:	58 Pa						
	Vapour pressure	at 50 °C:	479.07 Pa (0.48 kPa)						
	Evaporation rate	at 20 °C:	Non-applicable *						
	Product descri	ption:							
	Density at 20 °C	:	1441.8 kg/m³						
	Relative density	at 20 °C:	1.442						
	Dynamic viscosit	y at 20 °C:	Non-applicable *						
	Kinematic viscos	ity at 20 °C:	Non-applicable *						
	Kinematic viscos	ity at 40 °C:	Non-applicable *						
	Concentration:		Non-applicable *						
	pH:		Non-applicable *						
	Vapour density a	at 20 °C:	Non-applicable *						
	Partition coefficie	ent n-octanol/water 20 °C:	Non-applicable *						
	Solubility in wate	er at 20 °C:							
	Solubility proper	ties:	Non-applicable *						
	Decomposition te	emperature:	Non-applicable *						
	Melting point/fre	ezing point:	Non-applicable *						
	Explosive proper	ties:	Non-applicable *						
	Oxidising proper	ties:	Non-applicable *						
	Flammability:								
	Flash Point:		Non Flammable (>93 °C)						
	Heat of combust	ion:	Non-applicable *						
	Flammability (so	lid, gas):	Non-applicable *						
	Autoignition tem	perature:	238 °C						
	Lower flammabil	lity limit:	Non-applicable *						
	Upper flammabil	ity limit:	Non-applicable *						
	Explosive:								
	Lower explosive	limit:	Non-applicable *						
	Upper explosive	limit:	Non-applicable *						
9.2	Other informat	tion:							
	Surface tension a	at 20 ºC:	Non-applicable *						
	Refraction index	:	Non-applicable *						
	*Not relevant due to	the nature of the product, not providing infor	mation property of its hazards.						

# SECTION 10: STABILITY AND REACTIVITY

# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

#### 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

# 10.3 Possibility of hazardous reactions:



# Cabinet Base Sealant - A component - Polyol

Version: 1

Printing: 15/02/2021 Date of compilation: 15/02/2021

SECTION 10: STABILITY AND REACTIVITY (continued)

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

# 10.4 Conditions to avoid:

10.5

Applicable for handling and storage at room temperature:

Not applicable

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity				
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable				
Incompatible materials:									
	Acids	Water	Oxidising materials	Combustible materials	Others				

Not applicable

Not applicable

Avoid alkalis or strong bases

# 10.6 Hazardous decomposition products:

Avoid strong acids

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects:

LD50 oral > 2000 mg/kg (rat)

#### **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met
  - Contact with the eyes: Based on available data, the classification criteria are not met
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met
  - Mutagenicity: Based on available data, the classification criteria are not met
  - Reproductive toxicity: Based on available data, the classification criteria are not met
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met
  - Cutaneous: Based on available data, the classification criteria are not met
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met

### Other information:

Non-applicable

#### Specific toxicology information on the substances:



Cabinet Base Sealant - A component - Polyol

Printing: 15/02/2021

Version: 1

### SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Date of compilation: 15/02/2021

Not available

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

#### 12.1 Toxicity:

Not available

12.2 Persistence and degradability:

Not available

- 12.3 Bioaccumulative potential:
  - Not available

# 12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment: Non-applicable

# 12.6 Other adverse effects:

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

#### **13.1 Waste treatment methods:**

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

**Regulations related to waste management:** 

In accordance with Annex II of UK UK REACH the provisions related to waste management are stated

UK legislation: The Waste Regulations 2011.

# SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

# SECTION 15: REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

# Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019.

Control of Substances Hazardous to Health Regulations 2002 (as amended) EH40/2005 Workplace exposure limits.



# Cabinet Base Sealant - A component - Polyol

Printing: 15/02/2021

Version: 1

Date of compilation: 15/02/2021

# SECTION 16: OTHER INFORMATION Legislation related to safety data sheets: This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 **GB CLP Regulation:** Non-applicable Advice related to training: Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.